

## LISTA DE PUBLICAȚII

**Prof. dr. Maria-Luisa Flonta**

(nume anterioare Călugăreanu, Nestorescu)

### 1. CĂRȚI SAU CAPITOLE DE CĂRȚI PUBLICATE ÎN ROMANIA

1.1. FLONTA, M.L.

Cunoasterea omenească- modalități de abordare și analiză.  
In: *Progrese în Biologie*, 8, 113-1, 1978

1.2. MARGINEANU, D.G., FLONTA, M.L.

Pathways for Water and Ionic Fluxes through biomembranes modified by protein cross-linking reagents.  
In: "New Trends in the Study of Water and Ions in Biological Systems". Eds. V. Vasilescu, C.F. Hazlewood, București, 207-218, 1984.

1.3. MARGINEANU, D.G., FLONTA, M.L.

Mecanisme biofizice membranare ale bioritmurilor.  
In: "Cronobiologia", D. Steflea (Ed.), Ed. Medicală, București, vol. 1, 70-88, 1986

1.4. FLONTA, M.L., ARDELEANU, I.

Captarea și conversia energiei solare prin procese biotehnologice.  
In: "Biotehnologii moderne", P. Raicu (Ed.), Ed. Tehnică, București, 274-285, 1990

1.5. BABES, A., FLONTA, M.-L.,

"Substrate specificity in membrane transport" în *Quantum Biochemistry and Specific Interactions*, Chiriac, Mracec, Oprea, Kurunczi și Simon, editori, Editura Mirton, Timișoara, ISBN 973-585-805-3, 2002

1.6. FLONTA ML, *Conștiința*. In (Ed.) G. Vacariu, G. Stefanov. *Problema Minte-Creier în neuroștiința cognitivă*. Ed. Universității București, 2014, pp. 9-45

1.7. FLONTA ML, *Este organizat creierul nostru pentru a-l produce pe Dumnezeu sau pentru a-l percepe pe Dumnezeu ?* In (Ed.) M. Balan. *Atena și/sau Ierusalim. Eseuri despre relația dintre știința și religie*. Ed. Universității București, 2014, pp. 125-133

1.8. FLONTA ML, *Neurobiology of Form Perception*. Volumul Simpozionului Clubului Humboldt: *On Form and Pattern*, Editura Academiei, 2015

## **2. CĂRȚI SAU CAPITOLE PUBLICATE LA EDITURI STRĂINE**

- 2.1. ARDELEAN,I.,CANJA,D.,FLONTA,M.L.  
Bioelectrochemical fuel cells with *Anabena* sp.  
In: "Research in Photosynthesis", vol II, Ed: N.Murata, Kluwer  
Acad.Publ., 623-626, 1992
- 2.2. FLONTA,M.L.  
Specific Interactions in Ionic Transport through Biological Membranes.  
In:"Specific Interactions and Biological Recognition Processes",  
Z.Simon,N.Voiculescu,I.Motoc (Eds), CRC Press,Inc.,USA, 253-293, 1993
- 2.3. ARDELEAN,I.,RISTOIU,V.,FLONTA,M.L.,ZARNEA,G.  
Respiratory and photosynthetic response in salt stressed *Synechocystis* PCC 68303.  
In: "Photosynthesis:From Light to Biosphere", IV, P.Mathis (Ed.), Kluwer  
Acad.Publ. 525-528,1995
- 2.4. ARDELEAN, I.,S.TUNARU, M.L.FLONTA, G.TEODOSIU, M.ENACHE,  
L.DUMITRU, G.ZARNEA  
Increased respiratory activity in light in salt stressed *Synechocystis* PCC 6803.  
Potentiometric Method to Measure Respiratory Electron Transport in intact cells.  
In: "The Phototrophic Prokaryotes", Ed. Peschek et al., Kluwer Academic /  
Plenum Publishers, New York , 47, 403-409, 1999
- 2.5. MACRI B, STOIAN G, FLONTA ML  
The Active Compounds from *Hyperici herba*: Traditional versus Modern  
Knowledge.  
In: "Recent Progress in Medicinal Plants", Vol.13, "Search for Natural Drugs",  
Eds.: JN Govil, VK Singh, C.Arunachalam, Studium Press, LLC, USA, 393-409,  
2006

## **3. MANUALE UNIVERSITARE**

- 3.1. MARGINEANU,D.G.,FLONTA,M.L.Biofizica,vol II, Universitatea Bucuresti,  
1979,161p.
- 3.2. FLONTA,M.L.  
Efectele radiatiilor ionizante asupra sistemelor biologice. Metode de detectare a  
radiatiilor ionizante.  
In:"Biofizica",Margineanu,D.G.,Isac,M.,Tarba,C.(Ed.),Edit.Didactica si Pedagogica,  
1980,226p.

- 3.3. MARGINEANU,D.G.,FLONTA,M.L.  
Lucrari practice de Biofizica, Universitatea Bucuresti,1981,198p.
- 3.4. STRUNGARU,G.,NASTASESCU,G.,NISTOR,M.,FLONTA,M.L.  
Indrumator de lucrari practice de Fiziologie animala,Universitatea Bucuresti,1983 .
- 3.5. FLONTA,M.L.  
Lucrari practice de Biofizica, Universitatea Bucuresti,1990,227p.
- 3.6. FLONTA,M.L.,MOVILEANU,L.,MARGINEANU,D.G.  
Biofizica,vol.I,Universitatea Bucuresti,1992,303p.
- 3.7. MIHAILESCU,D., FLONTA,M.L., MOVILEANU,L.  
Probleme de biofizica, Edit.Univ.Bucuresti, 1997, ISBN 973-575-070-8
- 3.8. FLONTA ML, MARCU M, RISTOIU V,  
Notiuni de anatomie si Fiziologie, Edit. Univ. Bucuresti, 2007, ISBN 978-973-737-359-5, reeditat 2008.
- 3.9. POPESCU D , FLONTA ML  
Teoria retelelor neuronale artificiale, Edit. Universitatii Bucuresti, 2009, ISBN 978-973-737-682-4
- 3.10. RADU RACOTTA, MARIA-LUISA FLONTA, Metabolismul energetic uman.Evaluare cantitativa. Editura Universitatii Bucuresti, 2012
- 3.11. RADU RACOTTA, MARIA-LUISA FLONTA, Consumul de energie metabolica si greutatea corporala. Editura Universitatii Bucuresti, 2013
- 3.12. FLONTA ML, RISTOIU V, DEFTU A, Neurobiologia Cogniției, Edit. Universitatii Bucuresti, 2013, ISBN 978-606-16-0324-4
- 3.13. FLONTA ML, RISTOIU V, DEFTU A, Neurobiologia Cogniției, Edit. Universitatii Bucuresti, Editia II-a, revazuta si adaugita, 2016

#### **4. LUCRĂRI PUBLICATE ÎN REVISTE COTATE ISI**

- 4.1 TRANDABURU T, CALUGAREANU M L  
Light and Electron Microscopic Investigation of the Endocrine Pancreas of the Grass-Snake (Natrix n.natrix).  
*Zeitschrift fur Zellforschung*, 9,212-225,1969 IF = 1.95

- 4.2 TRANDABURU T, CALUGAREANU M L, MATEI-VLADESCU C  
Effets de l'adrenaline sur les ilots de Langerhans et sur la glycémie de la grenouille (Rana ridibunda).  
*Acta Anatomica*, 76, 564-578, 1970. IF = 0.902 ( pt.1999)
- 4.3 CALUGAREANU M L  
Effect of CoCl<sub>2</sub> on the cells of the endocrine pancreas in the snake (Natrix n.natrix).  
*Hormone and Metabolic Research*, 2, 94-101, 1970. IF = 1.465 (pt.1999)
- 4.4 CALUGAREANU M L  
The Behaviour of the Endocrine Cells in Snake Pancreas (Natrix n.natrix). The effect of glucose.  
*Biologisches Zentralblatt*, 90, 85-96, 1971. IF = 0.54
- 4.5 NESTORESCU, M.L., SIESS, E., WIELAND, O.  
Ultrastructural Localization of Pyruvate Dehydrogenase in Rat Heart Muscle.  
*Histochemie*, 34, 355-360, 1973. IF = 1.62
- 4.6 SIESS, E., NESTORESCU, M.L., WIELAND, O.  
Localisation of Insulin on Fat Cell Ghosts by Ferritin labeled Insulin Antibodies.  
*Diabetologia*, 10, 439-447, 1974. IF = 5.177 (pt. 1999)
- 4.7 MARGINEANU, D.G., FLONTA, M.L.  
Immersion weighing method for recording the flows through macroscopic membranes.  
*Journal of Biochemical and Biophysical Methods*, 3, 129-133, 1980 IF = 1.46
- 4.8 MARGINEANU, D.G., FLONTA, M.L.  
Effects of cross-linking reagents on water and ionic fluxes through epithelia.  
*Studia Biophysica*, 84, 49-50, 1981. IF = 0.32
- 4.9 FLONTA, M.L., RUCAREANU, C., VAIS, H., MARGINEANU, D.G.  
The Effect of Glutaraldehyde on the Active Transport of Sodium through the frog skin. A kinetic study.  
*Rev.Roum.Biochim.*, 20, 137-141, 1983. IF = 0.18
- 4.10 MARGINEANU, D.G., RUCAREANU, C., FLONTA, M.L., FINICHIU, D.  
Glutaraldehyde inhibits the active transport of sodium and the oxygen consumption, while increasing the water diffusional permeability in frog skin.  
*Arch.Int.Physiol.Biochim.*, 92, 305-312, 1984. IF = 1.03
- 4.11 FLONTA, M.L., VAIS, H., FRANGOPOL, P.T., MARGINEANU, D.G.  
Procaine effects on the sodium transport in frog skin.  
*Arch.Int.Physiol.Biochim.*, 93, 223-229, 1985. IF = 0.97

- 4.12 FLONTA,M.L.,GALTER,D.,FRANGOPOL,P.T.,MARGINEANU,D.G.  
Procaine has opposite effects on passive Na and K permeabilities in frog skin.  
*Pflüger's Archiv - European Journal of Physiology*, 408,215-219,1987 IF = 2.352 (pt. 1999)
- 4.13 FLONTA,M.L.,MARGINEANU,D.G.  
Procaine effects on the active and passive transport of ions through isolated epithelia.  
*Rev.Roum.Biochim.*,24,161-168,1987. IF = 0.09
- 4.14 FLONTA,M.L.,ENDSTRASSER,W.,KIRMEYER,I.,NAGEL,W.  
Procaine effects on sodium and chloride transport in frog skin.  
*Pflüger's Archiv - European Journal of Physiology*,411,386-393,1988. IF = 2.352 (pt. 1999)
- 4.15 FLONTA,M.L., NISTOR,M.,MARGINEANU,D.G.  
Procaine stimulation of the Na current through the apical membrane of frog skin.  
*Rev.Roum.Biochim.*,25,221-226,1988. IF = 0.12
- 4.16 CONSTANTINESCU,A.,FLONTA,M.L.,FRANGOPOL,P.T. MARGINEANU,D.G.  
The effects of tertiary amines on the state and transport properties of biomembranes.  
*Molecular Aspects of Medecine*,10,291-298,1988. IF = 1.61
- 4.17 FLONTA,M.L.,NISTOR,M.,FOTIN,C.,FRANGOPOL,P.T.  
Procaine effects on the ionic transepithelial transport  
*Rev.Roum.Biochim.*,26, 289-293,1989. IF = 0.18
- 4.18 FLONTA,M.L.,NISTOR,M.,FRANGOPOL,P.T.  
Evaluation of the stimulatory capacity of procaine on Na transport through frog skin.  
*Arch.Int.Physiol.Biochim.Biophys.*,99,335-337,1991. IF = 0.59
- 4.19 FLONTA,M.L.,BOURITIUS,H.,GROOT,J.A.  
Procaine inhibits the basolateral K conductance in HT29 cl.19A cells.  
*Zeitschrift fur Gastroenterologie*, XXXI,p.566, 1993 IF = 0.857 (pt.1999)
- 4.20 CUCU,D.,MIHAILESCU,D.,MIHAILESCU,G.,NIKOLELIS,D.P.,  
FLONTA,M.L., FRANGOPOL,P.T.  
Fourier analysis of potential oscillations of a liquid membrane for the discrimination of taste substances  
*Biophysical Chemistry*, 63, 47-54, 1996 IF = 2.29
- 4.21 MOVILEANU,L., FLONTA,M.L.,MIHAILESCU,D., FRANGOPOL,P.T.  
Characteristics of ionic transport processes through fish intestinal epithelial cells.  
*BioSystems*, 45,123-140,1998 IF = 0.76
- 4.22 MOVILEANU,L., POPESCU,D.,FLONTA, M.L.  
The hydrophobic acyl-chain effect in the lipid domains appearance through phospholipid bilayers.

- J.Mol.Struct. (THEOCHEM)* 434,213-227,1998 IF = 0.81
- 4.23 FLONTA, M.L., DE BEIR-SIMAEELS,J., MESOTTEN,D.,VAN DRIESSCHE,W.  
Cu<sup>2+</sup> reveals different binding sites of amiloride and CDPC on the apical Na channel  
of frog skin.  
*Biochim.Biophys.Acta*, 1370, 169-174,1998 IF = 2.48
- 4.24 GATIN, E, ALEXANDREANU, D, BERLIC, C, FLONTA,ML  
Comparative Survey for Microporous Polymer Material Used for Contact Lenses.  
*Physica Medica*, vol.XV, 3, 143-147,1999,  
<http://www.iroee.fi.cnr.it/physmed/volxv3.htm> IF = 0.266
- 4.25 MOVILEANU, L, NEAGOE, I, FLONTA,M.L.  
Interaction of the antioxidant flavonoid quercetin with planar lipid bilayers.  
*Int.J.Pharmaceutics*, 205, 135-146, 2000 IF = 1.024
- 4.26 POPESCU,D, MOVILEANU,L, ION,S, FLONTA, M.L.  
Hydrodynamic effects on the solute transport across endothelial pores and  
hepatocytes membranes.  
*Phys.Med.Biol.*, 45 (11), 157-165, 2000 IF = 2.013
- 4.27 REID,G, FLONTA, M.L.  
Cold transduction by inhibition of a background potassium conductance in rat  
primary sensory neurons.  
*Neuroscience Lett*,297,171-174, 2001 IF = 2.021
- 4.28 REID, G., AMUZESCU, B., ZECH, E. AND FLONTA, M.-L.  
A system for applying rapid warming or cooling stimuli to cells during patch clamp  
recording or ion imaging.  
*J. Neurosci. Methods* 111(1):1-8, 2001. IF = 1.659
- 4.29 REID, G., FLONTA, M.-L.  
Cold current in thermoreceptive neurons.  
*Nature* 413(6855):480. 2001 IF = 27.955
- 4.30 BABES, A., LÖRINCZI, E., RISTOIU, V., FLONTA, M.-L. & REID, G.  
Slowed inactivation at positive potentials in a rat axonal K<sup>+</sup> channel is not due to  
preferential closed-state inactivation.  
*Physiological Research*, 50, 557-565, 2001 IF = 1.027
- 4.31 REID, G., FLONTA, M.-L.  
Ion channels activated by cold and menthol in cultured rat dorsal root ganglion  
neurons.  
*Neurosci. Lett.* 324, 164-168, 2002 IF = 2.021

- 4.32 PENA,F., NEAGA,E., AMUZESCU,B., NITU, A., FLONTA, M.-L.  
Amitriptyline has a dual effect on the conductive properties of the epithelial Na channel.  
*J.Pharmacy Pharmacol*, 54,10,1393-1398, 2002 IF = 1.202
- 4.33 AMUZESCU.B, SEGAL,A., FLONTA,M.L., SIMMAELS,J., VAN DRIESSCHE,W.  
Zinc is a voltage-dependent blocker of native and heteroloogously expressed epithelial Na channels.  
*Eur.J.Physiol.,(Pflüger's Archiv)* 446, 69-77,2003 IF = 2.063
- 4.34 AVRAM,S., SVAB,I., BOLOGA,C.,FLONTA,M.L.  
Correlation between the predicted and the observed biological activity of the symmetric and nonsymmetric cyclic urea derivatives used as HIV-1 protease inhibitors. A 3D-QUSAR-CoMFA method for new antiviral drug design.  
*J.Cell.Mol.Med.*,7, 287-296, 2003 IF = 1.694
- 4.35 NEAGOE I, MACRI B, FLONTA ML  
*Hyperici herba* extract interaction with artificial lipid bilayers.  
*J. Pharm. Pharmacol*, 56, 1-7, 2004 IF = 1.348
- 4.36 SVAB I, ALEXANDRU D, VITOS G, FLONTA ML  
Binding affinities for sulfonamide inhibitors with matrix metalloproteinase-2 using a linear response method.  
*J.Cell.Mol.Med.* 8, 4, 551-562, 2004 IF = 2.153
- 4.37 AVRAM S , BOLOGA C , FLONTA ML  
Quantitative structure-activity relationship by CoMFA for cyclic urea and nonpeptide-cyclic cyanoguanidine derivatives on wild type and mutant HIV-1 protease  
*J. Mol. Model*, 11: 105–115, 2005 IF = 1.416
- 4.38 GEORGESCU A, PLUTEANU F, FLONTA ML, BADILA E, DOROBANTU M, POPOV D  
The cellular mechanism involved in the vasodilatator effect of nebivolol on the renal artery.  
*Eur.J.Pharmacol*, 508, 159-166, 2005 IF = 0.883
- 4.39 NEAGA E, AMUZESCU B, DINU C, MACRI B, PENA F, FLONTA ML  
Extracellular trypsin increases ASIC1a selectivity for monovalent versus divalent cations.  
*J. Neurosci. Methods*, 144, 241-248, 2005 IF = 0.676
- 4.40 FLORENTINA PENA BOGDAN AMUZESCU EMIL NEAGA, MARIA-LUIZA FLONTA

Thermodynamic properties of hyperpolarization-activated current (I<sub>h</sub>) in a subgroup of primary sensory neurons.

*Exp.Brain.Res.*, 173(2):282-90, 2006

IF = 0.582

4.41 GEORGESCU A, PLUTEANU F, FLONTA ML, BADILA E, DOROBANTU M, POPOV D

Nebivolol Induces a Hyperpolarization Effect on Smooth Muscle Cells in the Mouse Renal Artery by Activation of Beta-2-Adrenoceptors.

*Pharmacology*, 81: 110-117, 2008

IF =0.626

4.42 MARIN,A, PRICA,C, AMUZESCU,B, NEAGA,E, FLONTA,ML

ASIC1a activation by amitriptyline and FMRF-amide is removed by serine proteases

*Channels (Austin)*. 2008 Nov-Dec;2(6):419-28. Epub 2008 Nov 2

IF=0.452

4.43. BICH-HOAI TT, MARIN A, DINU C, BANCIU D, FLONTA ML, RISTOIU V

Hypoxia and high-glucose activate tetrodotoxin-resistant Na<sup>+</sup> currents through PKA and PKC

*Acta Neurobiologiae Experimentalis*, 70.4.351-361,2010 IF = 0.345

4.44. RISTOIU V, SHIBASAKI K, UCHIDA K, ZHOU YM, TON BTH, FLONTA ML, TOMINAGA M

Hypoxia-induced sensitization of transient receptor potential vanilloid 1 involves activation of hypoxia-inducible factor-1 alpha and PKC

*Pain*,152,4,936-945,2011

IF = 5.371

4.45. Radu BM, Iancu AD, Dumitrescu DI, **Flonta ML**, Radu M.,

TRPV1 Properties in Thoracic Dorsal Root Ganglia Neurons are Modulated by Intraperitoneal Capsaicin Administration in the Late Phase of Type-1 Autoimmune Diabetes,

*Cell Mol Neurobiol*. 2012 Oct 31. DOI 10.1007/s10571-012-9883-6

FI= 1,969

4.46. Amuzescu B, Georgescu A, Nistor G, Popescu M, Svab I, **Flonta ML**, Corlan AD.

Stability and sustained oscillations in a ventricular cardiomyocyte model

*Interdiscip Sci*. 2012 Mar;4(1):1-18. Epub 2012 Mar

Indicator SJR = 0,26

4.47. Alexandru Babes, MichaelJ.M.Fischer, MilosFilipovic, MatthiasA.Engel, **Maria-**

**Luiza Flonta**, PeterW.Reeh, The anti-diabetic drug glibenclamide is an agonist of the transient receptor potential Ankyrin1(TRPA1) ion channel. *European Journal of*

*Pharmacology*, [Eur J Pharmacol](#). 2013 Mar 15;704(1-3):15-22. doi:

10.1016/j.ejphar.2013.02.018. Epub 2013 Feb 24.

4.48. Ton BH, Chen Q, Gaina G, Tucureanu C, Georgescu A, Strungaru C, **Flonta ML**, Sah D, Ristoiu V. Activation profile of dorsal root ganglia Iba-1 (+) macrophages varies with the type of lesion in rats. *Acta Histochem.* 2013 May 20. pii: S0065-1281(13)00079-2. doi: 10.1016/j.acthis.2013.04.007. [Epub ahead of print]

4.49. Radu BM, Bramanti P, Osculati F, **Flonta ML**, Radu M, Bertini G, Fabene PF. Neurovascular unit in chronic pain. *Mediators Inflamm.* 2013;2013:648268. doi: 10.1155/2013/648268. Epub 2013 Jun 5. PMID:23840097

4.50. TEMELIE M, MUSTACIOSU C, FLONTA ML, SAVU D, Cellular differentiation exacerbates radiation sensitivity in vitro in a human dopaminergic neuronal model, Rom.Reports Physics, acceptat 2016, <http://www.ifin/IP/A170.pdf>

## 5. LUCRĂRI PUBLICATE ÎN REVISTE NECOTATE ISI

- 5.1 PORA,E.A., GHIRCOIASU,M., CALUGAREANU,M.L.  
Influence de la decortication cerebrale sur les relations metaboliques hepato-tegmentaires chez les rats blancs.  
*Studia Universitatis Babes-Bolyai, Ser.Biol., 2,87-90, 1966*
- 5.2 PORA,E.A., GHIRCOIASU,M., CALUGAREANU,M.L.  
Modificari metabolice tardive cauzate de decorticare la sobolani  
*Studia Universitatis Babes-Bolyai, Ser.Biol., 2,107-112, 1967*
- 5.3 NISTOR,M.,FLONTA,M.L.  
Randamentul fosforilarii oxidative in mitocondriile muschiului neted intestinal de iepure.  
*St.Cerc.Biologie Animala, 28,31-35,1976.*
- 5.4 GANCEVICI,G.,GHITESCU,L.,FLONTA,M.L.,PATRU,I.  
Light scattering assay of haemolytic antibody (A rapid and sensitive non-flow procedure for quantitation of complement fixing activity).  
*Arch.Roum.Path.Exp.Microbiol.,33,335-362,1976.*
- 5.5 CALUGAREANU,M.L.

Osmoticity dependence of the acid-induced changes in the mitochondrial ultrastructure.

*Rev.Roum.Biol.Anim.*,22,33-37,1977.

- 5.6 STRUNGARU,G., NISTOR,M., POPOVICI,E., FLONTA,M.L.  
Recherches sur le metabolisme energetique de la glande sericigene posterieure chez Bombyx mori, en fonction du degre de maturite des feuilles de murier.  
*Trav.Mus.Hist.Nat.Gr.Antipa*,XXII,143-147,1980
- 5.7 STRUNGARU,G., NISTOR,M., FLONTA,M.L., POPOVICI,E.  
Recherches sur le metabolisme energetique de la glande sericigene posterieure chez Bombyx mori, en fonction de la dose d'engrais appliquee aux muriers..  
*Trav.Mus.Hist.Nat.Gr.Antipa*,XXII,149-154,1980
- 5.8 STRUNGARU,G., NISTOR,M., FLONTA,M.L., POPOVICI,E.  
Recherches sur le metabolisme energetique de la glande sericigene posterieure chez differents hybrides et chez leurs races parentales du Bombyx mori.  
*Trav.Mus.Hist.Nat.Gr.Antipa*,XXII,155-161,1980
- 5.9 FLONTA,M.L.,MARGINEANU,D.G.  
Efectul glutaralhidei asupra permeabilitatilor osmotice si difuzionale ale vezicii urinare de broasca.  
*St.Cerc.Biochim.*,23,141-145,1980.
- 5.10 MARGINEANU,D.G.,FLONTA,M.L.  
Biopotentialele celulare si tisulare ca parametri experimentali ai actiunii membranotrope a agentilor chimici si a medicamentelor.  
*Bul.CIMCC Min.Ind.Chim.*,13-19, 1982
- 5.11 FLONTA,M.L., MARINESCU,F., FRANGOPOL,P.T.  
Ultrastructural changes induced by Aslavital treatment in experimentally produced by atherosclerosis in rabbit.  
*Analele Univ.Buc.*, XXXIII, 23-28, 1984
- 5.12 FLONTA,M.L.,M.L.,TOMA,V.  
Ultrastructure and O<sub>2</sub>-uptake of the posterior silk gland cells during the fifth larval instar of the silkworm Bombyx mori.  
*Analele Univ.Buc.*,XXXIV,23-32,1985.
- 5.13 FLONTA,M.L.,NISTOR,M., FOTIN,C.  
Evaluation of the stimulatory capacity of procaine, Gerovital H<sub>3</sub> and Aslavital on the Na transport through frog skin.  
*Analele Univ.Buc.*, XXXVII, 18-22, 1988
- 5.14 FLONTA,M.L.,FOTIN,C.,FRANGOPOL,P.T.

Differences in procaine effects on Na and Cl transport.  
*Seminars in Biophysics*, 6,91-99,1990.

- 5.15. FLONTA,M.L.,NISTOR,M.,KULIN,S.  
Temperature dependence of the procaine effect on sodium permeability in the frog skin.  
*Rev.Roum.Biochim.*,28,57-59,1991 (Revista a fost indexata ISI pana in 1990)
- 5.16. MOVILEANU,L.,FLONTA,M.L.  
Studiul informational asupra corelatiei structura primara-structura tertiara a proteinelor.  
*St.Cerc.Fiz.*,43,619-625,1991
- 5.17. MOVILEANU,L.,SERBAN,G.,MIHAILESCU,D.,FRANGOPOL,P.T.  
FLONTA,M.L.  
An investigation on the topology of chaos in a multiply regulated biochemical system.  
*Rom.J.Biophys.*,2,77-83,1992
- 5.18. FLONTA,M.L., CRULL,A.M., FRANGOPOL,P.T  
The action of Cu on the frog epithelium.  
*Roum.J.Physiol.* , 29,87-89,1992
- 5.19. MOVILEANU,L.,FLONTA,M.L.  
Low dimensional chaotic states in biochemical systems.  
*Rev.Roum.Biochim.*,29 ,207-214,1992
- 5.20. MOVILEANU,L.,FLONTA,M.L.  
The analysis of oscilatory biological systems in two-variable models.  
*Anal.Univ.Buc.fiz.XL-XLI*,81-88,1992
- 5.21. FLONTA,M.L.,RISTOIU V.  
Procaine increases water permeability in frog intestine  
*Rom.J.Biophys.*4,4,p.199,1994
- 5.22. ARDELEAN,I.,TONE,S.,FLONTA,M.L.  
Studies on respiratory and photosynthetic electron transfer in whole cells of *Synechocystis PCC 6803*.  
*Microbiol.Indust.Biotechnol.*, 8, 342-346, 1994
- 5.23. FLONTA,M.L., CRISAN,I., MOVILEANU,L.,DRAGOMIR,M.  
Biphasic effect of propolis on the frog skin epithelium . A 3-D approach.  
*Rom.J.Biophysics*, 6,115-126, 1996
- 5.24. NEAGOE,I.,RISTOIU,V.,FLONTA,M.L.  
Characteristics of Quercetin Insertion in Planar Lipid Bilayers

*Rom.J. Biophys.*,9,1-2,33-38, 1999

- 5.25. GATIN,E., D.ALEXANDREANU, M.L.FLONTA  
Comparative survey for cellulose base material , cuprophan and polysulphona material.  
*Rom.J. Biophys*, 9,4, .. 1999
- 5.26. RISTOIU,V., FLONTA,M.L.  
Interactions between neurotransmitters and receptors.  
*Rom.J. Biophys.*,9,3-4,111-127, 1999
- 5.27. POPESCU,D, FLONTA,M.L.  
Attraction energy through Van der Waals dispersion forces between two coplanar, unparallelled and hydrophobic chains.  
*Rom.J. Biophys.*, 2, ...2000
- 5.28. AVRAM,S, BOLOGA,C, BANDA,M, FLONTA,ML  
A quantitative structure-activity relationship study used to predict the biological activity of the HIV-1 protease cyclic urea inhibitors.  
*Rom. J.Biophys.*, 11, 1-2, 11-24, 2001
- 5.29. POPESCU,D, STELIAN,I, POPESCU, AG, NEACȘU,N, FLONTA,ML  
The effect of lipid bilayer hydration on transbilayer pores appearance.  
*Rom. J. Biophys.* 16(1);39-56, 2006
- 5.30. NEACSU,N, FLONTA,ML  
Classification of dorsal root ganglion neurons from newborn rat in organotypic cultures.  
*Rom. J. Biophys.* 16(2),77-91, 2006
- 5.31. POPESCU,D, ZAHARIA,CN, ION,S, FLONTA,ML  
Compensation of neurotransmitter deficiency in the synaptic cleft.  
*Rom. J. Biophys.* 16(3);189-204, 2006
- 5.32. AVRAM,S, MILAC,A, MIHAILESCU,D, DABU,A, FLONTA, ML  
Computer-aided Drug Design Applied to Beta and Gamma Secretase Inhibitors – Perspectives for New Alzheimer Disease Therapy  
*Current Enzyme Inhibition*, 2, 311-328, 2006
- 5.33. MACRI B, TD JACQUIN, ML FLONTA  
Electrophysiological properties of dorsal raphe nucleus neurons in 5-HTT<sup>+/+</sup> and 5-HTT<sup>-/-</sup> mice.  
*Rom. J. Biophys.* 16(2);111-124, 2006
- 5.34. ISTRATE,B, VILCIU,C, FLONTA,ML, CAMPEANU,A

- Osteoporoza cortizonica iatrogena din Miastenia Gravis  
*Rev.Ortopedie Traumatologie, 19,1,37-43,2009*
- 5.35. ISTRATE B, BANCIU DD, VILCIU C, CAMPEANU A, FLONTA ML  
Electrodiagnostic of the neuromuscular junction in Miasthenia Gravis  
*Physiology, Timisoara, 20,1, 46-50, 2010*
- 5.36. AMUZESCU B, GEORGESCU A, NISTOR G, POPESCU M, SVAB I, FLONTA ML, CORLAN AD  
Stability and sustained oscillations in a ventricular cardiomyocyte model  
*Interdiscip Sci Comput Life Sci, 4,1-18, 2012*
- 5.37. DINCA C, DEFTU A, FLONTA ML,  
**LONG TERM PHYSIOPATHOLOGICAL CHANGES IN PROFESSIONAL  
DIVERS – A LONGITUDINAL STUDY**  
Rom. J. Biophys. 22(2):73–81, 2012, [http://www.rjb.ro/articles/342/RJB2-2012\\_Dincu.pdf](http://www.rjb.ro/articles/342/RJB2-2012_Dincu.pdf)
- 5.38. FLONTA ML,  
George Palade a soluționat o dispută veche de 60 de ani din neurobiologie,  
**Revista Academica**, Nr. 3; martie, Anul XXIII; nr. 269, 2012  
[http://www.acad.ro/academica2002/rev2013/pag\\_acad2013\\_nr269.htm](http://www.acad.ro/academica2002/rev2013/pag_acad2013_nr269.htm)
- 5.39. TEMELIE M, SAVU D, MOISOIN, FLONTA ML,  
Multiple cellular functions of PINK1 a key mitochondrial kinase in Parkinson's disease  
Rom. J. Biophys. 24 (3), 137-155, 2014,  
<http://www.rjb.ro/articles/401/art01Temelie2.pdf>

## 6. LUCRĂRI PUBLICATE ÎN VOLUME COLECTIVE

- 6.1. FLONTA ML, Molecular mechanisms which underlie pain perception In: “Psihosomatic Medecine, Recent Progress & Current Trends” DL Dumitrascu (Ed), Editura Medicala Univ.”Iuliu Hatieganu” , Cluj Napoca, 18-33, 2003
- 6.2. FLONTA ML, Molecular mechanisms in visceral pain perception. In: “Neurogastroenterology – from basic knowledge to clinical practice” DL Dumitrascu (Ed), Editura Medicala Univ.”Iuliu Hatieganu” , Cluj Napoca, 25-33, 2005
- 6.3. FLONTA ML, Molecular targets for the modulation of pain. In: “Functional and motility disorders of the gastrointestinal tract” DL Dumitrascu, V.Drug (Ed), Editura Medicala Univ.”Iuliu Hatieganu” , Cluj Napoca, 34-41, 2011

## 7. BREVETE

- 7.1. Brevet de inventie OSIM, RO nr.112020 C, Instalatie pentru obtinerea apei potabile standard din deseul isotopic de la fabricarea apei grele. 1998

## 8. REZUMATE

- 8.1. RISTOIU, V., BABES, A., FLONTA, M.-L., REID, G.  
Slowing of inactivation of a rat axonal K<sup>+</sup> channel at positive potentials reveals differences from inactivation behaviour of cloned K<sup>+</sup> channels”  
*J. Physiol. 518.P:111P. 1999*
- 8.2. GATIN E, ALEXANDREANU D, FLONTA ML  
Biocompatibilitatea membranelor de hemodializa: studiu comparativ pentru material bazat pe celuloza si material polisulfona.  
*Sesiunea stiintifica anuala a Facultatii de Fizica, Universitatea Bucuresti, 1999*
- 8.3. REID, G., FLONTA, M.-L.  
The effects of non-noxious cooling on rat primary sensory neurons.  
*J. Physiol. 527.P:8P, 2000*
- 8.4. REID, G., SCHOLZ, A., FLONTA, M.-L.  
Mechanisms of peripheral thermosensitivity: the effects of non-noxious warming and cooling on cultured rat dorsal root ganglion neurones”  
*Eur. J. Neurosci. 12 (supp. 11): 435, 2000*
- 8.5. BABES A., LORINCZI E., PLUTEANU, F., RISTOIU, V., FLONTA, M.-L., REID, G.  
Slowing of inactivation at positive potentials in a rat axonal K<sup>+</sup> channel is not due to preferential closed state inactivation .

*Eur. J. Neurosci. 12 (suppl. 11): 381, 2000*

- 8.6. BABES, A., AMUZESCU, B., FLONTA, M.-L., REID, G.  
Temperature sensitivity of capsaicin-induced activity in  
VR1-like channels from rat dorsal root ganglion neurones.  
*J Physiol (Proceedings), S233,2001*
- 8.7. BABES,A., AMUZESCU, B., KRAUSE, U., SCHOLZ, A., FLONTA,M.-L., REID,G.  
Cooling inhibits capsaicin- and proton-induced currents in cultured rat dorsal root  
ganglion neurones.  
*J Physiol 533.P:57P-58P. 2001*
- 8.8. BABES,A., AMUZESCU,B., KRAUSE, U., SCHOLZ, A., FLONTA,M.-L.,REID, G.  
Capsaicin-induced currents in cultured rat dorsal root ganglion neurones are inhibited  
by cooling.  
*Pflüger's Archiv 441:R159 2001*
- 8.9. RISTOIU V, DINU C, FLONTA ML  
Cultured rat primary sensory neurons exposed to hypoxic/hyperglycemic conditions  
exhibit altered Na and TRPV1 currents  
*Pain in Europe V- 5<sup>th</sup> Congress of the European Federation of IASP Chapters  
(EFIC), Istanbul, 2006*
- 8.10. RISTOIU V, FLONTA ML  
Short-term exposure to hypoxic/hyperglycemic conditions is associated with  
functional changes of TRPV1 currents  
*European J.Pain, 11, S159,361,2007*
- 8.11. AMUZESCU B, SVAB I, MIHAILESCU D, MUBAVGA K, FLONTA ML  
A detailed structural model of the TRPM7 selectivity filter accounts for its  
permeation properties  
*51<sup>st</sup> Biophysical Society Annual Meeting, Baltimore, Maryland, 3-7 march,  
2007,PosL2*
- 8.12. PRICA C, MARIN A, AMUZESCU B, NEAGA E, FLONTA ML  
Dual effects of Amytryptiline on ASIC1a channels  
*51<sup>st</sup> Biophysical Society Annual Meeting, Baltimore, Maryland, 3-7 march,  
2007,PosL142*
- 8.13. AMUZESCU B, BARBU IC, PASCU N, FLONTA ML  
Electrophysiology and mathematical modeling of ventricular cardiomyocytes,  
*Al IVlea Simpozion al Societatii Nationale de Neurostiinte "Transdisciplinaritate in  
Neurostiinte", Bucuresti 30-31 mai 2008, abstract p. 11*
- 8.14. PASCU N, AMUZESCU B, FLONTA ML

Electrofiziologia neuronilor senzitivi primari din sectiuni organotipice de sobolan nou nascut in conditii acute si in cultura,  
*Al IVlea Simpozion al Societatii Nationale de Neurostiinte, Bucuresti 30-31 mai 2008, abstract p. 27*

- 8.15. AMUZESCU B, BARBU IC, PASCU N, SELESCU T, FLONTA ML  
A unified reduced multicompartiment electrophysiology model of cardiomyocytes from different territories,  
*Faculty of Physics 2009 Annual Scientific Conference, Bucuresti 5 iunie 2009, abstract p. 95-96*
- 8.16. AMUZESCU B, BARBU IC, PASCU N, SELESCU T, FLONTA ML  
Unified computational model of cardiomyocytes from various territories,  
*10th National Conference of Biophysics, Cluj 1-3 oct. 2009, abstract p. 27*
- 8.17. AMUZESCU B, MARIN A, PRICA C, NEAGA E, FLONTA ML  
ASIC1a activation by amitriptyline and FMRF-amide is removed by serine proteases.  
*FENS Forum 2008, Géneve, July 12-16, 2008, abstract p. 73*
- 8.18. ISTRATE B, VALCIU C, ION V, CAMPEANU A, VRABIE C, WALLER M, FLONTA ML  
Some advantages and incidents of plasmapheresis as short-term treatment for Myasthenia Gravis  
*Al 5-lea Simpozion national de patologie, Bucuresti, 4-6 nov, 2008*
- 8.19. POPESCU MN, NISTOR G, GEORGESCU A, CORLAN AD, AMUZESCU BP, BARBU CI, FLONTA ML  
Stability and Oscillations in a Ventricular Cardiomyocyte Model Studied using the Tools of Dynamic Systems Analysis and Bifurcation Theory.  
*53rd Biophysical Society Meeting, Boston, Mass., 28 Feb-4 March, 2009*
- 8.20. ANDREEA-ROXANA LUPU, LIDIA CREMER, F KEREK, ANA CALUGARU NATALIA-SIMONA BARZU, C COMAN, MARIA-LUIZA FLONTA, G SZEGLI  
The role of natural compound D161 in neurogenic inflammation  
*European Journal of Pain, Vol 13, Suppl 1, Sept 2009*
- 8.21. ISTRATE B, VILCIU C, MARIN A, FLONTA ML, CAMPEANU A  
ASIC channels and neuroimmunological consequences related to cerebral ischemia and thrombosis  
*7th Congress of the Romanian Society of Neurology, Sinaia, 13-16 May, 2009*
- 8.22. ISTRATE B, VILCIU C, FLONTA ML  
The predictive value of electromyography as electrodiagnostic test in Myasthenia Gravis

*Al 6-lea Simpozion National de Patologie, Bucuresti, 3-5 nov, 2009*

- 8.23. ISTRATE B, POSTOLACHE E, DOBREANU M, FLONTA ML  
Immunoserological monitoring and its clinical significance related to Myasthenia Gravis

*Al 6-lea Simpozion National de Patologie, Bucuresti, 3-5 nov, 2009*

- 8.24. LUPU,AR, CREMER,L, KEREK,F,CALUGARU,A, BADULESCU,MM,  
FLONTA,ML, SZEGLI,G  
New natural compound MCS-18, a TLR-2 antagonist able to down-regulate inflammation-related pain

*European Journal of Pain, Vol 13, Suppl 1, Sept 2009*

- 8.25. LUPU,AR, CREMER,L, SZEGLI,G, CALUGARU,A, BADULESCU,MM,  
BARZU,NS, FLONTA,ML, KEREK ,F

Novel antirheumatic drug “MCS-18” involved in TLR signaling

*European Journal of Immunology, Suppl. 1/2009*

- 8.26. FLONTA ML, RISTOIU V

Identification of critical determinants which potentiate TRPV1 activity under diabetic conditions

*5-th “Gheorghe Marinescu” Symposium of the National Neuroscience Society of Romania, Bucharest, 1-3 oct, 2009*

## **9. CONFERINȚE INVITATE**

9.1. Ce putem aștepta în neuroștiințe de la cercetările de tip analitic? Societatea Română de Științe Fiziologice, București, 25 martie, 1999

9.2. Neuroștiințele, o posibilă punte între științele naturii și cele umaniste. Colocviul: Locul și rolul științei și culturii în integrarea europeană, Clubul Humboldt, România, 29 sept, 2000

9.3. Dual effect of amitriptyline on the epithelial Na channel. BIL 96 Symposium, KU Leuven, 2000.

9.4. Evaluation of the stimulatory capacity of procaine on epithelial Na transport. BIL 2000 Symposium, Darmstadt, 2001

9.5. Mecanisme de transducție în termosensibilitate, Societatea Română de Științe Fiziologice, Bucuresti, 29 nov, 2001

- 9.6. Molecular mechanisms which underlie pain perception, International Symposium on Psychosomatic Medicine of the Alexander von Humboldt Foundation, Cluj, 2003
- 9.7. Molecular mechanisms in visceral pain perception. International Symposium of Neurogastroenterology of the Alexander von Humboldt Foundation, Brasov, 2005
- 9.8. Molecular mechanisms of pain perception, Neuroscience 2005, International Symposium Timisoara-München, 14 oct 2005
- 9.9. Ion channels and beyond:molecular mechanisms of pain perception, International Conference in Biosensing and Biodynamics, ICCB, 21 mai 2006
- 9.10. Molecular mechanisms underlying nociception, 2<sup>nd</sup> International conference of the National Neuroscience Society of Romania: “Neuronal excitability”, 2 sept 2006
- 9.11. Molecule implicate în generarea, menținerea și tratamentul durerii, Curs postuniversitar: “De la biologia celulară și moleculară la medicina sec.XXI”, IBPC “N.Simionescu”, 19 oct 2006
- 9.12. TRP channels - biosensors for temperature, IXth National Conference of Biophysics, May 11-14, 2007 , Bucharest
- 9.13 Activitatea cooperantă a canalelor TRP în neuronii nociceptivi, Simpozionul „Gheorghe Marinescu” al Societății Naționale de Neuroștiințe, Biblioteca Academiei Române, București, 2–3 iunie 2007
- 9.14. Conștiința – un fenomen care poate fi abordat de neurobiologi, Simpozionul „Gheorghe Marinescu” al Societății Naționale de Neuroștiințe, Biblioteca Academiei Române, București, 30-31 mai 2008. La acest simpozion mi s-a conferit Premiul I’Gheorghe Marinescu”, pentru rezultate de cercetare deosebite în neuroștiințe.
- 9.15. Transformarea durerii de la un mecanism adaptativ spre o situatie patologică. Conferinta Diaspora în Cercetarea Stiințifică Romaneasca, Workshopul: Neuroștiințe si transdisciplinaritate, 17-19 sept 2008
- 9.16.Durerea – un fenomen adaptativ care poate deveni patologic, Curs postuniversitar: “De la biologia celulară si moleculară la medicina sec.XXI”, IBPC “N.Simionescu”, 27 oct 2008
- 9.17. Identification of critical determinants which potentiate TRPV1 activity under diabetic conditions. Dept.of Physiology, University of Hamburg, Eppendorfer Hospital, 2009
- 9.18. Abordare neurobiologică a fenomenului – conștiință. Seminarul: Ingineria Minții, Universitatea Politehnică Bucuresti, 29 ian 2009

9.19. Natura conștiinței văzută de biologi și filozofi. Seminarul CELFIS, Universitatea București, 24 martie 2010

9.20. Neurosciences – a bridge between humanities and sciences. Humboldt-Kolleg: Knowledge, Culture, Science – the fundament of quality of life in society, Timișoara, 23-28.11.2010

9.21. George Palade a soluționat o dispută veche de 60 de ani din neurobiology, Sesiune omagială dedicată Centenarului Prof. George Emil Palade, 23 nov, 2012, [http://www.acad.ro/com2012/pag\\_com12\\_1123Palade.htm](http://www.acad.ro/com2012/pag_com12_1123Palade.htm)

9.22. TEDxCluj – De ce nu vedem cu toții aceeași realitate? – 20 febr 2016 – <https://www.youtube.com/watch?v=w6C6VMpFc3Q>

9.23. De ce nu vedem cu toții aceeași realitate? – Săptămâna Conștientizării Creierului 14-23 martie, 2016, Facultatea de Psihologie a Universității București

9.24. ICUB – Ce este realitatea pentru ființele vii ? – În Seminarul [Consciousness and Cognition: An Interdisciplinary Approach](#), 10 mai, 2016

## **10. ARTICOLE DE POPULARIZARE**

1. Ziarul Curentul, Vineri 1 martie 2013, Anul XV Nr. 35 (5171)  
**DESPRE CREIER ȘI MINTE**, Elena Solunca Moise  
**Convorbire cu prof. univ. dr. Maria-Luisa Flonta, membru corespondent al Academiei Române**